BT Stratus 1500

User Guide





Welcome

to your BT Stratus 1500 Digital Cordless Telephone Answering Machine

- Answering machine with up to 12 minutes digital recording time and helpful voice prompts.
- Call screening lets you hear callers leaving a message and pick up the call
 if you want.
- 100 Name and number phonebook to store all your contact numbers for easy dialling.
- Send and receive text messages.¹
- Speed dial assign a number stored in the Phonebook to a 2-9 keypad button for dialling with one touch.
- Quick access to a range of BT Services including directory enquiries and call divert.
- Caller Display lets you see who's calling and your phone stores details of the last 30 callers in a Calls list.²
- Register up to 5 handsets to the base without the need for additional telephone wiring.
- Digital call quality with a range of up to 300 metres outdoors and up to 50 metres indoors (in ideal conditions).
- 1 You must subscribe to your network provider's Caller Display Service for text messaging to work and you must not withhold your telephone number. A quarterly fee may be payable. Some other network provider lines may not be compatible with this text messaging service.
- 2 You must subscribe to your network provider's Caller Display or Call Waiting service for these features to work. A quarterly fee may be payable.



This User Guide provides you with all the information you need to get the most from your phone.

Before you make your first call you will need to set up your phone. Follow the simple instructions in 'Getting Started', on the next few pages.

Need help?

If you have any problems setting up or using your BT Stratus 1500 please call our free Helpline on 0808 100 6556*. Our dedicated avdisors are more likely to be able to help you than the retailer where you made your purchase.

Alternatively, you may find the answer in the 'Help' section at the back of this guide.

IMPORTANT

Only use the telephone line cord supplied.

Please note that this equipment is not designed for making emergency telephone calls when the power fails. Alternative arrangements should be made for access to emergency services.

* Calls made from within the UK mainland network are free. Mobile and International call costs may vary.

Got everything?

- BT Stratus 1500 handset
- BT Stratus 1500 base
- 2 x NiMH rechargeable batteries
- Battery compartment cover
- Mains power adaptor (item code 039956)
- Telephone line cord

If you have purchased a BT Stratus 1500 multiple pack you will also have the following items for each handset:

- BT Stratus 1500 additional handset
- BT Stratus 1500 charger (item code 039955)
- 2 x NiMH rechargeable batteries
- Battery compartment cover
- Small mains power adaptor

In this guide

| Getting started | |
|---|----|
| Location | 7 |
| Setting up | 7 |
| Setting up for multiple packs | 8 |
| Set date and time manually | 9 |
| Getting to know your phone | |
| Handset buttons | 10 |
| Handset display / display icons | |
| Base | |
| Navigating the menus | 13 |
| Menu map | |
| Using the phone | |
| Switch handset on or off | 15 |
| Make an external call | |
| Preparatory dialling | |
| End a call | |
| Options during a call | |
| Open the phonebook during a call | |
| Receiving a call | |
| Earpiece / handsfree volume | |
| Mute (Secrecy) | |
| Handsfree | 16 |
| Make a handsfree call | 16 |
| Answer a call handsfree | 17 |
| Switch to handsfree during a call | 17 |
| Redial the last number called | 17 |
| Redial a number from the redial list | 17 |
| Save a number from the redial list to the phonebook | 17 |
| Delete a redial number | 18 |
| Delete all redial numbers | 18 |
| Keypad lock | 18 |
| Find handset (paging) | 18 |

Phonebook

| Store a name and number | 19 |
|---|----|
| View an entry | |
| Dial an entry | 19 |
| Edit a name and number | 20 |
| Edit the assigned ringer melody | 20 |
| Delete an entry | 21 |
| Delete phonebook | |
| Direct access memory | 21 |
| Store or change a direct access memory number | 21 |
| Dial a direct access number | 22 |
| Delete a direct access number | 22 |
| Handset and base settings | |
| Handset settings | 2: |
| Ring volume | |
| Ring melody | |
| Keypad beep | |
| Confirmation tone | |
| Backlight time | |
| Auto hang up | |
| Auto answer | |
| Base settings | |
| Ring volume | |
| Ring melody | |
| | |
| Clock & alarm | 2- |
| Set date / time | |
| Set time format | |
| Date format | |
| Set alarm | |
| Alarm tone | |
| Aldilli volulile | 28 |

| Caller Display and the calls list | | Message playback | 42 |
|---|----|---|----|
| Calls list | 20 | Adjust volume | 42 |
| New Message and & Caller Display | | Delete all old messages | 42 |
| New Message and & Callel Display View and dial from the Calls list | | Call screening | 42 |
| | | Remote access | 43 |
| Save a number to the phonebook | | Remote access on / off | 43 |
| Delete an entry | | If you forget to switch on your answering machine | |
| Delete entire Calls list | 31 | Operating your answering machine remotely | 44 |
| Advanced settings | | | |
| Change PIN | 32 | Text messaging | |
| Call baring on/off | | Subscribe to the text messaging service | |
| Set call barring number | | Cost of the fixed line service | |
| Reset | | Open the text message menu | |
| Handset / Answering machine default settings | | Send a text message | |
| | | New text message alert | |
| BT Network services | | Read a text message | |
| Pre-stored BT Services numbers | 35 | Text message options | 46 |
| Open BT Services menu | 35 | View, edit and send a template message | 47 |
| Call Waiting | 36 | View, edit and send a Draft message | 47 |
| Voicemail | 36 | Text settings | 48 |
| | | Switch message reception off / on | |
| Answering machine | ~- | Service Centre numbers | |
| Using the answering machine from the handset | | Add or change Service Centre numbers | |
| Set answer mode and switch on / off | | Set a Send Service Centre | |
| Outgoing messages | | Text message audible alert on / off | |
| Record your own outgoing message | | | |
| Play outgoing message | | Using additional handsets | |
| Delete your outgoing message | | Handset registration | |
| Message playback | 39 | De-register a handset | |
| Delete all messages | 39 | Internal calls | 53 |
| Record a memo | 39 | Call another handset | 53 |
| Answer settings | 40 | Conference call | 53 |
| Ring delay | 40 | Conference on / off | 53 |
| Switch call screening at the handset on / off | 40 | Join a conference call | 53 |
| Using the answer machine at the base | | Start a conference call | 54 |
| Message counter | | Put a caller on hold and make an internal call | |
| Recording memory full | | Transfer a call | 54 |

| Help | 55 |
|-------------------------------|----|
| General information | |
| Safety information | 59 |
| Cleaning | |
| Environmental | |
| Product disposal instructions | 60 |
| Guarantee | 60 |
| Technical information | 61 |
| R&TTE | 61 |
| Declaration of Conformance | 61 |
| Connecting to a switchboard | 62 |
| Inserting a pause | |
| Recall | 62 |


Getting started

Location

Place your BT Stratus 1500 within 2 metres of the mains power socket and telephone socket so that the cables will reach. Make sure it is at least 1 metre away from other electrical appliances to avoid interference.

Your BT Stratus 1500 works by sending radio signals between the handset and base. The strength of the signal depends on where you site the base. Putting it as high as possible ensures the best signal.

Setting up



1. Plug the mains power adaptor (item code 039956) into the socket marked Φ on the underside of the base and plug the other end into the mains power wall socket and switch the power on. You can place the cable behind the retaining clip to prevent the plug being accidentally pulled from the socket.

The base indicator lights up. The answering machine is switched on.

WARNING

Do not place your BT Stratus 1500 in the bathroom or other humid areas.

Handset range

The BT Stratus 1500 has a range of 300 metres outdoors when there is a clear line of sight between the base and handset. Any obstruction between the base and handset will reduce the range significantly. With the base indoors and handset either indoors or outdoors, the range will normally be up to 50 metres. Thick stone walls can severely affect the range.

Signal strength

The "icon on your handset indicates when you are in range. If moving out of range of the base, the range indicator will flash. If you go out of range, any call you are on will be lost.

IMPORTANT

The base station must be plugged into the mains power socket at all times.

Do not connect the telephone line until the handset is fully charged.

Only use the power and telephone cables supplied with the product.

Battery low warning

The long licon flashes in the handset display when you have only a few minutes talk time remaining. Recharge the handset before you can use it again. You also hear a low battery warning beep if the battery is low and needs recharging. During charging, the icon will scroll in the display.

Battery performance

In ideal conditions, a fully charged battery should give up to 10 hours talk time or 100 hours standby time on a single charge.

Note that new batteries do not reach full capacity until they have been in normal use for several days.

To keep the battery in the best condition, leave the handset off the base for a few hours at a time.

Running the battery right down at least once a week will help it last as long as possible.


The charge capacity of rechargeable batteries will reduce with time as they wear out, giving the handset less talk/standby time. Eventually they will need to be replaced. New batteries are available from the BT Stratus 1500 Helpline on 0808 100 6556*. After charging your handset for the first time, subsequent charging time is about 6–8 hours a day. Batteries and handset may become warm during charging. This is normal.

Using your BT Stratus 1500 on a Broadband line?

If this product is to be used on a broadband line then you must ensure that it is connected via an ADSL microfilter. Using this product on a Broadband line without an ADSL microfilter may cause problems with this product and your Broadband service.

Additional BT ADSL microfilters can be purchased from www.shop.bt.com

2. Activate the batteries by pulling the plastic tab away from the back of the handset.



- 3. Place the handset on the base to charge for at least 24 hours. When the handset is fully charged the icon will be displayed.
- 4. When the battery is fully charged, plug one end of the telephone line cord into the socket marked Line on the rear of the base and the other end into the telephone wall socket.

Setting up for multiple packs

If you have purchased a BT Stratus 1500 multiple pack, you will need to prepare any additional handsets and chargers for use.

For each additional handset and charger:

- Insert the power adaptor with the red connector (item code 039955) into the underside of the charger. Plug the other end into the mains wall power socket and switch on.
- Insert the two NiMH batteries in the handset and put the battery compartment cover into place.
- 3. Charge the handset for at least 24 hours. When the handset is fully charged the icon will be displayed.

Any additional handsets supplied as part of a multipack are pre-registered to the base so, once charged, are ready for use. The handset number is shown in the display.

Set date and time manually

- 1. Press MENU, scroll to CLOCK & ALARM and press SELECT.
- SET DATE/TIME is highlighted. Press SELECT. The current date and time setting is displayed.
- 3. Use the keypad to enter the correct time and date. Press OK to confirm.
- 4. Press BACK until you return to standby.

Your BT Stratus 1500 is ready for use.

Automatic date and time setting

Providing you have subscribed to your network's Caller Display service, the date and time is set automatically for all handsets when you receive your first call.


The date and time is recorded with each answering machine message you receive.

If you do not have a Caller Display service you can set the date and time manually.

Change Time & Date format

You can set the time format to the 12 or 24 hour clock. You can also change the date format to present the day or the month first, see page 27.

Getting to know your phone



Handset display



Display icons

| ' <u>''''</u> | Shows handset battery status. | ·() | Handsfree is in use. |
|---------------|---|------------|---|
| | Scrolls when the handset is charging | ď× | Handset ringer is switched off. |
| | Flashes when less than 15 minutes talk time is left. | - - | On - Answering machine is switched on. |
| G | Flashes when receiving a call. | | Flashes slowly - You have new answering machine messages. |
| | On during a call | | Flashes quickly - Answering machine is full. |
| | Flashes when you have new text or Voicemail messages. | | Off - Answering machine off |
| | On when you have read text messages | Ψ | On - Handset in range of base. |
| | in the Inbox. | | Flashing -Out of range or not registered |
| C | Flashes when you have missed calls in the | | to base. |
| | Calls list* | ΙΠΤ | On - during an internal call with |
| | On while you are reviewing the call log. | | another handset. |
| G | Alarm set. | | Flashes when your are being called by another handset. |
| | | © 1 | The keypad is locked. |
| | | | |

* Requires subscription to a Caller Display Service from your network provider. A quarterly fee may be payable.

Base


Message counter

Indicates answer machine status and number of messages received.

Find

Press to ring all registered handsets, helpful for finding a missing handset, page 18.

Also used during registration, page 51.



Navigating the menus

Your BT Stratus 1500 has an easy to use menu system.

Each menu has a list of options which you can see on the menu map on the following page.

When the handset is switched on and in standby:

- 1. Press MENU to open the main menu.
- 2. Press or to scroll through the available options.
- Press SELECT to select a menu option or BACK to return to the previous screen.
- 4. To exit a menu and return to standby, press 🖺

Main menus & icons

Phonebook

Handset settings

(%
Base settings

Clock and Alarm

Advanced Set


Network Service

Text Message

Answer Machine


Option buttons

Press to select the option displayed on screen.



If no button is pressed for 30 seconds, the handset returns to standby automatically.

Menu map



Using the phone

Switch handset on or off

To switch off:

1. Press and hold a until the handset switches off, after about 5 seconds.

To switch on:

1. Press and hold and until the handset switches on.

Make an external call

- 1. Press 🖫.
- 2. When you hear the dial tone, dial the number.

Preparatory dialling

- 1. Dial the number first. If you make a mistake press CLEAR to delete the last digit.
- 2. Press 🔓 to dial.

End a call

1. Press 😤

Options during a call

- 1. During a call, press OPTIONS to open the in-call menu.
- Scroll and between the two options PHONEBOOK or START 2ND CALL:

Open the Phonebook during a call

- During a call, you can check entries in the Phonebook. Press OPTIONS then select PHONE BOOK.
- 2. Scroll or to the entry you want.
- 3. Press DETAILS to see the number.
- 4. Press BACK to return to the previous menu level.

When you make a call, the In use light on the base flashes.

Call timer

Your handset will automatically time the duration of all external calls. The handset display shows the call duration both during and for a few seconds after your call.

Out of range warning

When the handset goes out of range of the base, flashes. If you are on a call, the line will hang up. Move back within in range. The handset will automatically re-connect to the base.

Press and hold CLEAR to delete the whole number and return to standby.

Press SAVE to add the number to the Phonebook, see page 19.

Auto answer

As long as you have auto answer set to ON you can answer a call by lifting the handset off the base. If you have switched auto answer off, you will need to press as well. Auto answer ON is the default setting. See page xx.

During a handsfree call, press or to change the volume.

Receiving a call

When the phone rings the display shows the caller's number if available or the caller's name if it matches an entry in the phonebook. If you do not have a Caller Display service, the screen shows EXTERNAL CALL.

1. Press \(\bigsize \) to answer the call.

Or lift the handset off the base or charger.

Earpiece/Handsfree volume

During a call you can adjust the volume of the earpiece or handset loudspeaker. There are 5 levels.

1. Press or large or large to increase or decrease the volume.

Mute (Secrecy)

During a call, you can talk to someone nearby without your caller hearing.

- 1. Press MUTE. Your caller cannot hear you.
- 2. Press UNMUTE to return to your caller.

Handsfree

Handsfree lets you talk to your caller without holding the handset. It also enables other people in the room to listen to your conversation over the loudspeaker.

Make a handsfree call

1. Dial the number then press twice. You hear your call over the handset loudspeaker. Press again to switch the call between the loudspeaker and the earpiece.

Answer a call handsfree

1. Press wice. The call is transferred to the handset loudspeaker.

Switch to handsfree during a call

1. During a call: press to put the call on the loudspeaker. To switch handsfree off and return the call to the earpiece, press again.

Redial

Up to the last 10 telephone numbers called are saved in the redial list. You can then select any of the numbers to redial, delete or copy to the directory.

Redial the last number called

- 1. Press redain the last number you called is displayed.
- 2. Press ⊱ to dial.

Redial a number from the redial list

- 1. Press Redial, the last number you called is displayed.
- 2. Press or to scroll to the number you want.
- 3. Press 🐕 to dial.

Save a number from the redial list to the Phonebook

- 1. Press then scroll to the number you want.
- Press SELECT to select the number, then press MENU to enter the sub menu. SAVE NUMBER is highlighted.
- Press SELECT. Use the keypad to enter the name and press OK. If you make a mistake, press CLEAR.
- 4. Press OK. The number is displayed. Press OK to save.
- 5. Press SELECT to choose the required melody and the entry is saved.
- 6. Press BACK to return to the previous menu level.

For tips on entering names and text, see page 19

Delete a redial number

- 1. Press Redial .
- 2. Scroll Redial or to the number you want.
- Press SELECT, then when the entry is selected, press MENU and scroll to DELETE and press SELECT, then press OK.
- 4. Press BACK to return to the previous menu level.

Delete entire redial list

- 1. Press Redial
- Press SELECT on any entry, then press MENU and scroll to DELETE ALL and press SELECT. DELETE ALL? is displayed
- 3. Press OK to confirm or BACK to cancel.
- 4. Press BACK to exit and return to standby.

Keypad lock

To lock the keypad

1. Press and hold #a until the display shows KEYPAD LOCKED.

To unlock the keypad

2. Press and hold to unlock the keypad.

Find handset (Paging)

You can ring a handset to help locate it.

- 1. Press on the base. All handsets registered to the base will ring. The display shows PAGING and the IΠT icon flashes.
- 2. Press on the base again to stop the ringing or press any button on any handset.

WARNING

If the keypad is locked you will be able to dial the emergency numbers 999 and 112.

When the keypad is locked you can still answer incoming calls and operate the handset as normal. When the call is ended, the keypad lock comes on again.

Paging calls only ring the handsets, they cannot be answered as a voice call.

Press SILENT to stop a particular handset ringing. Other handsets will still ring if you have multiple handsets so this could help you find it.

You can store up to 100 names and numbers in the directory.

Names can be up to 14 characters long and numbers up to 24 digits.

Store a name and number

- Press MENU. PHONEBOOK is displayed, press SELECT, NEW ENTRY is displayed, press SELECT.
- 2. Enter the name and press OK.
- 3. Enter the number and press OK.
- Scroll to select the ringer melody you want to assign to the entry. Press SELECT.
- 5. Press BACK to return to the previous menu level

View an entry

- 1. In standby, press NAMES. The entries are listed in alphabetical order.
- 2. Scroll or to the entry you want.
- 3. Press SELECT to see the number.
- 4. Press BACK to return to the previous menu level.

Dial an entry

- 1. Press NAMES, scroll to the entry you want (or search alphabetically)
- 2. Press . The number is dialled.

Entering names

Use the keypad letters to enter names, e.g. to store Tom:

- Press 8 once to enter T.
- Press 6 three times to enter o.
- Press 6 once to enter m.

Writing tips

Press CLEAR to delete the last character or digit.

- Press Int (LEFT) or (RIGHT) to move backwards or forwards through character/digits.
- Press #0 to switch between upper, lower or sentence case.
- Press (RIGHT) to insert a space.
- Use 1 and/or 0 for other punctuation characters.

You must enter a name to go with a number.

To enter a pause in a directory number

When storing a number press and hold #a and a P will be displayed. For more information on pauses, see page xx.

Phonebook empty

If the directory is empty and you press the display shows ADD ENTRY.

Once an entry has been stored the full menu is displayed.

Phonebook full

When the phonebook is full, the display shows MEMORY FULL! when you try to add a new entry. You must delete entries before you can add new ones.

To search alphabetically

Press the relevant keypad button, e.g. for the entries beginning with T press once then scroll through the entries.

Edit a name and number

- 1. Press MENU. PHONEBOOK is displayed. Press SELECT.
- 2. Scroll to EDIT ENTRY and press SELECT.
- 3. Press CLEAR to delete the name, if required, and enter the new name. Press OK.
- 4. Press CLEAR to delete the phone number then enter a new number. Press OK.
- 5. Press or to choose a melody, and press SELECT.
- 6. Press BACK to return to standby.

Edit the assigned ringer melody

- 1. Press MENU. PHONEBOOK is displayed. Press SELECT.
- 2. Scroll to SELECT MELODY and press SELECT.
- 3. Scroll or to the entry you want and press SELECT.
- 4. Scroll to the melody you want. A sample is played. Press
- 5. Press BACK to return to standby.

Delete an entry

- 1. Press NAMES. Scroll to the entry you want and press SELECT.
- 2. Press MENU, PHONEBOOK is displayed. Press SELECT.
- 3. Scroll to DELETE ENTRY and press OK.
- 4. Press BACK to return to standby.

Delete Phonebook

- 1. Press MENU. PHONEBOOK is displayed. Press SELECT.
- 2. Scroll to DELETE ALL and press SELECT.
- 3. DELETE ALL? is displayed press OK to confirm or BACK to cancel.
- 4. Press BACK to return to standby.

Direct access memory

You can assign a number from the Phonebook to a 2-9 button and dial that number just by pressing and holding the button.

Store or change a direct access memory number

- 1. Press MENU. PHONEBOOK is displayed. Press SELECT.
- 2. Scroll to DIRECT MEMORY and press SELECT.
- 3. Scroll do to the 2-9 button you want and press SELECT.
- 4. NO NUMBER is displayed. Press MENU then select EDIT. The Phonebook list is displayed.
- Scroll to the entry you want and press SELECT twice. The display returns to the direct access memory menu and shows the new entry.
- 6. Press BACK to return to the previous menu level.

Memory 1 is set as 1571.

A new entry will overwrite an existing entry.

Dial a direct access number

1. Once you have stored a number, press and hold the 1-9 button you want. The number stored is displayed and dialled.

Delete a direct access number

- 1. Press MENU. PHONEBOOK is displayed. Press SELECT.
- 2. Scroll to DIRECT MEMORY and press SELECT.
- 3. Scroll or to the button memory you want to delete and press SELECT.
- 4. Press MENU. Scroll to DELETE and press SELECT. You hear a confirmation beep. The number is deleted.

You can scroll or or to the Phonebook list to select another entry if required or press BACK to return to standby.

Handset and base settings

Handset settings

Ring volume

There are five volume levels (plus Off) or choose Ascending for a gradually increasing volume.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to HANDSET TONES and press SELECT.
- 3. RING VOLUME is displayed, press SELECT.
- 4. Scroll or to the ringer setting you want and press OK.
- 5. Press BACK to return to the previous menu level.

Ring melody

There are 15 ring melodies to choose from.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to HANDSET TONES and press SELECT.
- 3. Scroll to RING TONES, press SELECT.
- 4. Scroll or to the ringer melody you want and press SELECT.
- 5. Press BACK to return to the previous menu level.

Keypad beep

When you press a button on the keypad, you hear a beep. You can switch this beep on or off.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to HANDSET TONES, press SELECT.
- 3. Scroll to KEY BEEP, press SELECT.
- 4. Scroll or to display ON or OFF and press SELECT.
- 5. Press BACK to return to the previous menu level.

Confirmation tone

When you select a menu option, you hear a confirmation tone. You can switch this tone on or off.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to HANDSET TONES, press SELECT.
- 3. Scroll to CONFIRM TONE, press SELECT.
- 4. Scroll or to display ON or OFF and press SELECT.
- 5. Press BACK to return to the previous menu level.

Backlight time

Adjust the amount of time before the handset backlight switches off. Choose from 20, 40 or 60 seconds.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to BACKLIGHT TIME, press SELECT.
- 3. Scroll or to display 208, 408 or 608 and press SELECT.
- 4. Press BACK to return to the previous menu level.

Auto hang-up

With Auto hang up switched on, you can end a call by placing the handset on the base or charger. If you switch this off, you must always press to hang up. Default setting is On.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to AUTO HANG-UP, press SELECT.
- 3. Scroll or or to display ON or OFF and press SELECT.
- 4. Press BACK to return to the previous menu level.

Auto answer

With Auto answer switched on, you can answer a call by lifting the handset off the base or charger. If you switch this off, you must always press to answer a call. Default setting is On.

- 1. Press MENU, scroll to HANDSET SETTINGS and press SELECT.
- 2. Scroll to AUTO ANSWER, press SELECT.
- 3. Scroll or to display ON or OFF and press SELECT.
- 4. Press BACK to return to the previous menu level.

Base settings

Ring volume

There are five volume levels (plus Off) or choose Ascending for a gradually increasing ring volume.

- 1. Press MENU, scroll to BASE SETTINGS and press SELECT.
- 2. RING VOLUME is displayed. Press SELECT.
- 3. Scroll or to the ringer volume you want and press OK.
- 4. Press BACK to return to the previous menu level.

Ring melody

There are 15 ring melodies to choose from.

- 1. Press MENU, scroll to BASE SETTINGS and press SELECT.
- 2. Scroll to RING MELODY, press SELECT.
- 3. Scroll or to the ringer melody you want and press SELECT.
- 4. Press BACK to return to the previous menu level.

Clock & alarm

Set date/time

- 1. Press MENU, scroll to CLOCK & ALARM and press SELECT.
- 2. SET DATE/TIME is displayed. Press SELECT.
- 3. Use the keypad to enter the current time and date then press OK.
- 4. Press BACK to return to the previous menu level.

Set time format

Choose the 12 or 24 hour format. Default setting is 24 hours.

- 1. Press MENU, scroll to CLOCK & ALARM and press SELECT.
- 2. Scroll to SET FORMAT and press SELECT.
- 3. TIME FORMAT is displayed. Press SELECT.
- 4. Scroll or to display 12 HRS or 24 HRS and press SELECT.
- 5. Press BACK to return to the previous menu level.

Date format

Choose the date displayed in DD/MM or MM/DD format. Default setting is DD/MM.

- Press MENU, scroll to CLOCK & ALARM and press SELECT.
- Scroll to SET FORMAT and press SELECT.
- 3. Scroll to DATE FORMAT and press SELECT.
- 4. Scroll or to display DD/MM or MM/DD and press SELECT.
- 5. Press $\ensuremath{\mathtt{BACK}}$ to return to the previous menu level.

If you make a mistake, press BACK to delete.

If you make a mistake entering the time, press BACK to delete the last digit.

Stop alarm ring

When the alarm goes off, press STOP or any button.

Set alarm

You can set your alarm to ring once or at the same time every day. If you want to stop the alarm setting, select Off.

- 1. Press MENU, scroll to CLOCK & ALARM and press SELECT.
- 2. Scroll to ALARM and press SELECT.
- 3. Scroll or or on DAILY and press SELECT.

 If you select ON ONCE or ON DAILY, use the keypad to enter the alarm time using the 24 hour clock format, e.g. for 7.30am enter 07:30. Press OK.
- 4. Press BACK to return to the previous menu level.

Alarm tone

Choose from 3 different alarm ringtones.

- 1. Press MENU, scroll to CLOCK & ALARM and press SELECT.
- 2. Scroll to ALARM TONE and press SELECT.
- 3. Scroll or to display MELODY 1, 2 or 3 and press SELECT.
- 4. Press BACK to return to the previous menu level.

Alarm volume

Choose from LOW, MEDIUM or HIGH.

- 1. Press MENU₃ scroll to CLOCK & ALARM and press SELECT.
- 2. Scroll to ALARM VOLUME and press SELECT.
- 3. Scroll or to display LOW, MEDIUM or HIGH and press OK.
- 4. Press BACK to return to the previous menu level.

Caller Display and the calls list

If you have subscribed to a Caller Display Service, you will be able to see your caller's number on your handset display (provided it is not withheld) prior to answering the call.

If your caller's name is stored in the phonebook and a number match is found, you will also see the caller's name on the display.

Calls list

The Calls list holds up to 30 numbers. The date and time of the call is also stored if available.

When the list is full, and a new call is received, the oldest entry will be deleted automatically.

The Calls list can display numbers up to 24 digits or names up to 16 characters.

New Message & Caller Display

When you have new missed calls and/or answering machine messages, the handset lets you know, for example:



IMPORTANT

To use Caller Display you must first subscribe to the service from your network provider. A quarterly fee may be payable. For more information on BT Calling Features call BT free on 0800 800 150.

To ensure the caller's name is displayed, make sure you have stored the full telephone number, including the dialling code in the directory.

When a new call is received in the Calls list the ficon is displayed.

If the number is unavailable, **Unavailable** is displayed.

If the number has been withheld by the caller, **Withheld** is displayed.

If the call is from a payphone, **Payphone** is displayed.

If number is a voicemail call, **Voicemail** is displayed.

If you do not have a Caller Display service, an external call is displayed as **External call**.

View and dial from the Calls list

- 1. Press . The Calls list screen is displayed.
- The first entry is indicated by an arrow, press SELECT to open the entry to see details of the call, e.g. time and date. If the call has not been viewed, it is marked as NEW by the ☐ icon.
- 3. Scroll to see the next entry.
- 4. Press \(\bigsize \) to dial the entry displayed.
- 5. Press BACK at any time to return to the previous menu level.

Save a number to the Phonebook

- 1. Press . The Calls list screen is displayed.
- 2. Scroll to the entry you want, press SELECT to open the entry.
- 3. Press MENU. SAVE NUMBER is highlighted. Press SELECT.
- 4. ENTER NAME is displayed. Use the keypad to enter a name then press OK.
- 5. The number is displayed. Press OK to save.
- 6. Press BACK at any time to return to the previous menu level.

Delete an entry

- 1. Press . The Calls list is displayed.
- 2. Scroll to the entry you want, press SELECT to open the entry.
- Press MENU. Scroll to DELETE and press SELECT.
 DELETE? is displayed, press OK to confirm. The screen shows the Calls list screen again.
- 4. Press BACK at any time to return to the previous menu level.

Delete entire Calls list

- 1. Press . The Calls list screen is displayed.
- 2. Press SELECT to open any entry, press MENU.
- 3. Scroll to DELETE ALL and press SELECT.
- 4. DELETE ALL? is displayed. Press OK to confirm or BACK to cancel.
- 5. Press BACK at any time to return to the previous menu level.

Advanced settings

Change PIN

The default PIN is 0000. You will need to enter the PIN for setting Call barring and during registration and de-registration. For security reasons, you can change the PIN to your own preferred 4-digit code.

- 1. Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. Scroll to CHANGE PIN and press SELECT.
- 3. Enter the old PIN and press OK.
- 4. Enter the new PIN and press OK.
- Enter the new PIN again to confirm and press OK. Display shows NEW PIN STORED.
- 6. Press BACK to return to standby.

Call barring

Use call barring to restrict selected handsets from dialling a phone number beginning with specific pre-fixes, for example, premium rate numbers beginning 09 or mobile phone numbers beginning 07.

You can set four different barring pre-fixes each containing up to 4 digits. If a restricted number is dialled, the call will not be connected and the user hears an error beep.

Call barring on / off

- 1. Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. Scroll to CALL BARRING, press SELECT.
- 3. Enter the system PIN (default setting 0000) and press OK.
- 4. BARRING MODE is displayed, press SELECT.
- 5. Scroll Redial or to ON or OFF and press SELECT.
- 6. Press BACK to return to standby.

You cannot bar emergency service numbers 999 or 112.

When Call barring is set to On, the standby screen shows **Call bar on**.

Set call barring number

You can enter up to four numbers to be barred.

- 1. Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. Scroll to CALL BARRING, press SELECT.
- 3. Enter the system PIN (default setting 0000) and press OK.
- 4. Scroll to BARRING NUMBER and press SELECT.
- Scroll to the barring number you want and press SELECT.
- Enter the number you want to bar. You can put up to 4 digits.
 Press ∩K to confirm.
- 7. Press 🕆 to return to standby.

Reset

You can re-set a handset to its default settings.

- 1. Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. Scroll to RESET, press SELECT.
- 3. Enter the system PIN (default setting 0000) and press OK.
- 4. Display shows CONFIRM? Press OK to confirm or BACK to cancel.
- 5. Press OK again. All settings are reset.

Receiving a call from a barred number

The call will not be connected. The screen displays CALL BARRED.

This will delete all messages and clear the calls list and redial list

34

| Handset default settings | | SMS default Centre | Centre 1 | |
|--------------------------|-----------------|---------------------------------|---------------|--|
| Handset Ringer Volume | 3 | Set 1st Ring | On | |
| Handset Ringer Melody | MELODY 1 | SMS center – | | |
| Handset Earpiece Volume | 3 | Outgoing number | 1470P17094009 | |
| Handset Speaker Volume | 3 | SMS center – Incoming number | 0800587529 | |
| Handset Key Beep | On | Phonebook memory | Empty | |
| Battery Low Tone | On | Redial memory | Empty | |
| Language | English | CID memory | Empty | |
| Auto hang up | On | SMS Mailbox | Empty | |
| Auto answer | On | SMS reception | ON | |
| Handset Name | Stratus 1500 1 | Conference | OFF | |
| Base Speaker Volume | 5 | SMS alert beep | ON | |
| Base ringer volume | 3 | Speed dial 1 | 1571 | |
| Time/Date | 00:00; 01-01-08 | · | | |
| Date format | DD-MM-YY | Answering machine defaul | t settings | |
| Time format | 24 hr | Ring Delay | 6 | |
| Set Alarm | Off | OGM | Pre-set OGM 1 | |
| Alarm Tone | Ring 2 | Answer On/Off | On | |
| Dialling Mode | Tone | Answer Mode | Answer & Rec. | |
| Flash Time | 100ms | HS screening | Off | |
| Master PIN | 0000 | Remote access | ON | |
| Call Barring | Off | Base Playback Volume | 5 | |
| Call Barring number | Empty | Base Screening Volume | 5 | |
| Easy Call | Off | | | |
| Easy Number | Cleared | | | |
| | | | | |

BT Network Services

By selecting the BT Services menu you can access a range of useful pre-stored numbers and further BT Calling Features.

Pre-stored BT Services numbers:

- DIVERT ALL diverts all calls to a number.
- DIVERT BUSY diverts calls when your line is busy.
- DIVERT NO ANSWER diverts calls if you do not answer.
- VOICEMAIL lets you use your network's voicemail service (1571).
- CALL WAITING to activate/de-activate.
- HELPDESK dials the BT Stratus 1500 Helpdesk for information and help.
- BT 118500 BT directory enquiries.
- CANCEL CALLBACK lets you cancel an automatic call back request.
- WITHHOLD ID prevents your telephone number being sent when you make calls. Enters 141 automatically before the next call only.

Open the BT Services menu

1. Press $\[\]$. NETWORK SERVICES is displayed. Press SELECT.

Or

Press MENU, scroll or to NETWORK SERVICES and press SELECT.

Scroll to choose the option you want and press SELECT.

IMPORTANT

To use BT Services and BT Calling Features you must first subscribe (if required) to the relevant service from your network provider. A quarterly fee may be payable.

For more details on BT's Calling Features, call BT free on 0800 800 150.

If you are not connected to the BT network, some of these services may not be available. Please contact your network provider. Call Diversion services may allow other divert options. Check with your network provider for details.

For further information, see the BT Calling Features user guide supplied when you subscribe to the services of your choice. You must subscribe to your network's Caller Display service for Call Waiting to work. A quarterly fee may be payable.

Call Waiting

- During a call, you hear a soft beep in the earpiece and the display shows the number of the caller or the name if it matches an entry in your phonebook.
- 2. Press R to put your current caller on hold and speak to the new caller.
- 3. Press R again to switch between both callers.
- 3. Press 🕆 to finish the current call.

Activate/de-activate call waiting

- 1. Press . Scroll to CALL WAITING. Press SELECT.
- Scroll to choose either ACTIVATE or DE-ACTIVATE, press SELECT. This will send an update to the network.
- 3. Press 🕆 to return to Standby.

Voice mail

Dials 1571 so you can play and manage your network's voicemail messages.

To dial your voicemail

1. Press and hold the 1 button. This will automatically dial your 1571 voicemail.

To change your Voicemail number

- 1. Press SELECT.
- 2. Scroll to VOICE MAIL. Press SELECT.
- 3. Scroll to VM NUMBER. Press SELECT.
- 4. Enter the Voicemail number and press OK.
- 5. Press BACK to return to the previous menu level.

You need to subscribe to your network provider's voicemail (1571) service for this feature to work.

Answering machine

Your BT Stratus 1500 can digitally record up to 12 minutes of messages or up to 59 messages. The maximum incoming message can be up to 1 minute.

You can operate your answering machine from:

- the handset.
- the base.
- remotely, from any other Touchtone[™] telephone, see page 43.

Your BT Stratus 1500 comes with two pre-recorded outgoing messages, Answer and Record or Answer Only, alternatively you can record your own version of each.

Using the answering machine from the handset

Set answer mode and switch on / off

You can set your answering machine on or off from the handset. When switching on, select Answer & record or Answer only mode. See next page for further information on answer mode and outgoing messages.

- 1. Press MENU, scroll or to ANSWER MACHINE.

 Press SELECT.
- 2. Scroll to ANSWER MODE and press SELECT.
- 3. Scroll Redial or Calls to:

ANSWER & RECORD – press SELECT to switch on and allow callers to leave a message.

ANSWER ONLY – press SELECT to switch on and enable callers to hear an outgoing message only.

ANSWER OFF - press SELECT to switch answering machine off.

4. Press BACK to return to the previous menu level.

You will need to set the day, date and time (if you have not already done so) so that you will know when each message was received. If you have subscribed to your network's Caller Display service, the date and time is set automatically when you receive your first call. To set the date and time manually, see page 27.

Answer and Record

The pre-set Answer and Record outgoing message, that allows your caller to leave a message, is "Hello, your call cannot be taken at the moment, so please leave your message after the tone"

Your Answer and Record outgoing message will replace the pre-recorded message.

To reinstate the pre-recorded messages, delete your own recorded outgoing message, see below.

Answer Only

The pre-set Answer Only outgoing message, where callers hear an announcement but cannot leave a message, is "Hello, your call cannot be taken at the moment and you cannot leave a message, so please call later".

When recording your Answer Only message, remember to advise your caller that they will not be able to leave a message.

Your own Answer Only message will replace the pre-recorded message.

You can delete your own recorded OGM. This will automatically reinstate the pre-recorded message.

You cannot delete the pre-recorded message.

Outgoing messages

The outgoing message is the message a caller first hears when the answering machine picks up their call. There are 2 pre-recorded outgoing messages to choose from (see note left), or you can record your own.

Record your own outgoing message

- 1. Press MENU. Scroll to ANSWER MACHINE. Press SELECT.
- 2. Scroll to OUTGOING MSG and press SELECT.
- 3. ANSWER & RECORD is displayed. Press SELECT or scroll to ANSWER ONLY and press SELECT.
- 4. Scroll to RECORD OGM and press SELECT.
- Speak your announcement after the long beep. Press STOP to stop recording. Your message is played back.

Play the outgoing message

- 1. Press MENU. Scroll to ANSWER MACHINE. Press SELECT.
- 2. Scroll to OUTGOING MSG and press SELECT.
- ANSWER & RECORD is displayed. Press SELECT or scroll to ANSWER ONLY and press SELECT.
- 4. PLAY OGM is displayed. Press SELECT to play the message.
- 5. Press BACK to return to the previous menu level.

Delete your outgoing message

- 1. Press MENU, Scroll to ANSWER MACHINE, Press SELECT.
- Scroll to OUTGOING MSG and press SELECT.
- ANSWER & RECORD is displayed. Press SELECT or scroll to ANSWER ONLY and press SELECT.

- 4. Scroll to DELETE and press SELECT to play the message.
- 5. Press BACK to return to the previous menu level.

Message playback

- 1. Press MENU, scroll or to ANSWER MACHINE.

 Press SELECT
- 2. PLAY is displayed. Press OK to play your messages.

During playback, scroll Redial or to:

REPEAT – press SELECT to repeat the current message.

PREVIOUS – press SELECT to play the previous message.

NEXT - press SELECT to skip to the next message.

DELETE - press SELECT to delete the current message.

3. Press BACK to return to the previous menu level.

Delete all messages

- 1. Press MENU, scroll or to ANSWER MACHINE.

 Press SELECT.
- 2. Scroll Redial or to DELETE ALL and press SELECT.
- 3. Press BACK to return to the previous menu level.

Record a memo

- 1. Press MENU, scroll or to ANSWER MACHINE. Press SELECT.
- 2. Scroll to RECORD MEMO and press SELECT.
- 3. Speak your message after the beep. Press STOP to stop recording.
- 4. Press BACK to return to the previous menu level.

Only unplayed messages will be deleted.

You can record a memo message on the answering machine for other users to hear when they listen to messages.

Answer delay

Answer delay sets the number of times your BT Stratus 1500 will ring before the answer machine picks up your call and starts playing the outgoing message. You can change the Answer Delay setting to between 2-9 rings or Time Saver.

Time saver

When you ring in to access your messages remotely, if your answering machine is set to time saver and you have new messages it will answer after 2 rings, if you do not have any new messages, it will answer after 6 rings. This means you can hang up knowing you have no new messages, saving you time and the cost of the call.

Answer Settings

Ring delay

- 1. Press MENU, scroll or to ANSWER MACHINE.

 Press SELECT
- 2. Scroll to ANS SETTINGS and press SELECT.
- 3. RING DELAY is displayed. Press SELECT.
- 4. Scroll to the ring delay setting you want and press SELECT.
- 5. Press BACK to return to the previous menu level.

Switch call screening at the handset on / off

When switched on, you can hear your caller leaving a message from your handset, and choose to interrupt and speak to the caller if desired. The default setting is Off.

- 1. Press MENU, scroll or to ANSWER MACHINE.

 Press SELECT.
- 2. Scroll to ANS SETTINGS and press SELECT.
- 3. Scroll to HS SCREENING. Press SELECT.
- 4. Scroll or to choose ON or OFF. Press SELECT.
- 5. Press BACK to return to the previous menu level.

Call screening at the handset

- 1. When you hear a caller leaving a message, press \(\) to interrupt and speak to your caller.
- 2. Press 🗑 to end the call.

Using the answering machine at the base

Set the answer mode

1. Press Answer and record, Answer only or Answer off. The setting is announced.

Message counter

- OFF when the answering machine is off
- On, no messages, Answer & record mode
- answering machine on, 2 messages are stored
- ∂ flashing, you have at least 1 new message
- flashing slowly, you have more than 9 old messages flashing quickly, you have more than 9 new messages
- Answering machine memory full
- R Remote access in progress (see page 43)
- Recording a message
- (Scrolling segment) Recording memo
- 1-9 Speaker volume level, displayed when you press Vol- or Vol+
- Answer only mode

Recording memory full

If the recording memory becomes full while a caller is leaving a message, they will hear "Thank you for calling" and the answering machine will hang up.

Any new callers will hear the Answer only message.

If the memory is full you must delete messages before your BT Stratus 1500 can begin recording again.


Your BT Stratus 1500 answering machine has voice prompts to help you use its settings and features

Each message is played back with the day and time of the call announced.

Message playback

1. Press Play The number of messages is announced and they are played back.

During playback, press:



Adjust volume

1. Press to decrease the speaker volume or to increase the volume.

Delete all old messages

New, unplayed messages cannot be deleted.

1. In standby, press and hold Delete.

Call screening

 Providing the base speaker volume is set loud enough, you can hear a caller leaving a message. If you want to interrupt and speak to the caller, press on the handset.

If the base speaker is set to 0, call screening is switched off.

Remote access

When switched on, you can call in from another phone to listen to your messages and operate your answering machine.

Remote access on / off

You can switch remote access on or off. When on, you can operate your answering machine from any other Touchtone™ phone. Default setting is On.

- 1. Press MENU, scroll or to ANSWER MACHINE.
- 2. Scroll to ANS SETTINGS and press SELECT.
- 3. Scroll to REMOTE ACCESS. Press SELECT.
- 4. Scroll or to ACTIVATE or DEACTIVATE. Press OK.
- 5. Press BACK to return to the previous menu level.

If you forget to switch on your answering machine

- 1. Call your number from another phone and let it ring. After 20 rings the machine will switch on and answer your call.
- 2. Enter your system PIN (original setting 0000). Play back your messages as shown below in 'Operating your answering machine remotely'.

If you do not choose to switch your answering machine On, it will switch off when the call is ended.

If you enter the incorrect PIN code you will be allowed two further attempts, if it is still incorrect you will hear, "Thank you for calling", and your BT Stratus 1500 will hang up. If you do not press any button for more than 10 seconds, your BT Stratus 1500 will hang up.

If the * is not recognised it may be because you have deactivated the remote access feature, see page 43 "Remote Access on / off" for details.

Operating your answering machine remotely

- 1. Dial your phone number. When you hear your outgoing message, press *. You will hear, "Please enter your security code".
- Enter your 4 digit Remote Access PIN (default 0000). If you have new messages, these will be played. Otherwise you will hear "You have no new messages" followed by the main menu.

You can now use the keypad to operate your answering machine. Follow the announcements and instructions you hear:

- 2 Play all messages
- Play new messages
- Skip back during messages
- Delete current message
- Skip forward during messages
- Stop playback
- Press repeatedly to select the answering machine mode: ANSWER & RECORD, ANSWER ONLY or ANSWER OFF.
- Play main menu

Text messaging

Welcome to the BT text messaging service on your BT Stratus 1500. Your BT Stratus 1500 can send and receive text messages from participating mobile networks and compatible landline telephones in the UK.

The fixed line text service is provided under BT's terms and conditions for telephone service. These can be found by visiting the BT.com website at: http://www.bt.com/terms

Subscribe to the text messaging service

When you send your first text message from your BT Stratus 1500 you will automatically be registered for the service. On receipt of your first text through the service, the system will send you a welcome text message back. You may also register by sending the word 'Register' to 00000 upon which you will receive a confirmation message.

Cost of the fixed line service

There is no subscription charge (other than the subscription to Caller Display). Visit the BT.com website (www.bt.com) to find out how much it costs to send a text message (depends upon your call package).

Open the text message menu

1. Press . (RIGHT NAVIGATION BUTTON).

Or

Press MENU, scroll or to TEXT MESSAGE and press SELECT.

Send a text message

- 1. Press . WRITE TEXT MSG is displayed. Press SELECT.
- 2. Use the keypad to write your message. When finished, press OK.
- 3. Enter the number you are texting.

Your BT Stratus 1500 can store a total of 60 text messages:

Up to 40 in the Inbox, Up to 15 draft box 5 template messages

IMPORTANT

You must subscribe to your Network Provider's Caller Display service so that you can use text messaging and you must not withhold your telephone number.

A quarterly fee may be payable, please contact your network provider for more details.

You may also send messages to landline phones that are NOT text compatible. Messages to non compatible lines will be connected to voice text and delivered in spoken words to the telephone as a call.

Please note that the conversion can translate common abbreviations and smileys etc, but to ensure maximum clarity of message delivery, abbreviations etc should be used sparingly.

At any time, press BACK to go back to the previous screen, or press to cancel and return to standby.

When writing a text, if you do not press a button for 30 seconds, the handset will return to standby. If the message does not get sent, the screen shows TEXT NOT SENT! If the text is not sent, the display shows MESSAGE FAILED. It is stored in the Outbox.

Writing tips

Use the keypad to enter letters and numbers, eg to write today (2day):

- Press 2 four times to enter 2.
- Press $\frac{3}{000}$ once to enter **d**.
- Press 2 once to enter a.

Press 9 three times to enter y.

- Press (RIGHT) to enter a space and use and/or of for other characters.
- Press Clear to delete incorrect characters. Press int (LEFT) or (RIGHT) to move the cursor to the point you want.

Press and hold to (LEFT) to jump backwards to the previous space in the text message, or press and hold (RIGHT) to jump or forwards to the next space.

Use or to move the cursor to the beginning or end of the text.

Upper & lower case

Press # to change between upper and lower case letters.

Maximum number of characters in a text message is 160. The display shows a character count from 0 up to 160.

In order to send and receive text messages you must not withhold your number. On most networks if you normally withhold your number the 1470 prefix presents your number for you.

If the text is longer than 160 characters, it is stored as two or more messages, up to a maximum of four. The display indicates how many messages you text is spread over, e.g. 1/2.

Messages are marked New if they have not been read before or Old if previously viewed.

If selecting a Phonebook number, press PHONEBOOK, scroll or to the entry you want and press SELECT.

4. Press OK. Screen gives you the options to SEND or SAVE AS DRAFT. To send, press SELECT. Display shows TXT TRANSFERRING and then TEXT SENT. Or to send later, scroll to SAVE AS DRAFT and press OK.

New text message alert

 When you receive a text message, you hear a beep and the display shows NEW TEXT MSG.

Read a text message

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to INBOX and press SELECT.
- 3. The most recent text message sender is displayed.

If required, scroll or to the text message you want.

- 4. Press SELECT.
- 5. Press to scroll to the next page.
- 6. Press BACK to return to the previous page.

Text message options

1. When reading a text, press MENU:

REPLY – press SELECT. Write your reply to the sender and press OK.

FORMARD – press SELECT to forward the message to another number. You can add text then press OK. Enter the number you want and press OK.

SAVE NUMBER – press SELECT to add the sender to the Phonebook.

Enter the name, press OK.

DELETE - press SELECT to delete the message.

DELETE ALL — press SELECT to delete all messages in the inbox.

Press OK to confirm.

2. Press BACK to return to the previous menu level.

View, edit and send a template message

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to TEMPLATES and press SELECT.
- 3. Scroll Redial or through the templates.
- 4. Press SELECT to see the full text.
- 5. Press MENU to choose from:

EDIT – press SELECT to change the template. Press CLEAR to delete. Use the keypad to enter your own message template.

SEND – press SELECT to send the template.

SAVE AS DRAFT – press SELECT to save in the Drafts box for sending later.

6. Press BACK to return to the previous menu level.

View, edit and send a Draft message

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to DRAFTS and press SELECT.
- 3. Scroll or through the Draft messages.

Templates

There are five pre-set templates:

I am busy now, will call you later

Please call my mobile / office / home

Meet me at <time><place>

I am sorry / I love you Happy Birthday

Receiving a call while writing a text If you are writing a text and you receive a call the text will be lost.

Do you have two text phone bases connected to the same phone line?

If you have two text phone base stations plugged into one line, you are likely to experience problems receiving text messages. Normally, only one SMS enabled base unit (DECT or cordless) can be plugged into any line. If you do want to use two base units and still receive written text you must delete receive service centre number from one of the base stations. To do this on your BT Stratus 1500, see opposite.

This will allow you to send text via either base station but texts will only be received on the product with the active receive centre number.

If the base unit with the active receive centre number is a DECT product then all handsets registered to will be able to receive text messages.

- 4. Press SELECT to see the full text.
- 5. Press MENU to choose from:

EDIT – press SELECT to change the text. Press CLEAR to delete. Use the keypad to enter your own message template.

SEND - press SELECT to send the text.

DELETE - press SELECT to delete the text.

DELETE ALL – press SELECT to delete all messages in the drafts box, press OK to confirm.

6. Press BACK to return to the previous menu level.

Text settings

Switch message reception off / on

The default setting is on.

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to SETTINGS and press SELECT.
- 3. RECEIVE ON/OFF is displayed. Press SELECT.
- 4. Scroll or to ON or OFF and press SELECT.
- 5. Press BACK to return to the previous menu level.

Service centre numbers

To send and receive text messages you need the telephone number of your Network's text Centre. If you accidentally delete the Outgoing or Incoming Service Centre numbers you will need to re-enter them in order for your text Service to work

You can enter up to 6 Service Centre numbers – 3 incoming and 3 outgoing.

The Outgoing Service number is: 0800587529.

The Incoming Service number is: 1470P17094009.

Add or change Service Centre numbers

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to SETTINGS and press SELECT.
- 3. Scroll to SERVICE CENTRE. Press SELECT.
- Scroll to SERVICE CENTRE 1, 2 or 3 and press SELECT.
- 5. Scroll or to SEND CENTRE or RECEIVE CENTRE and enter the service number you want. Use CLEAR to amend if necessary.
- 6. Press SAVE.
- 7. Press BACK to return to the previous menu level.

Set a Service Centre

The default setting is Service Centre 1.

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to SETTINGS and press SELECT.
- 3. Scroll or to DEFAULT CENTRE and press SELECT.
- 4. Scroll to SERVICE CENTRE 1, 2 or 3 and enter the service number you want.
- 5. Press SELECT.
- 6. Press BACK to return to the previous menu level.

Text message audible alert on / off

When you receive a new text message, your phone gives a beep. You can switch this beep off or on.

1. From standby, press

Or

Press MENU, scroll to TEXT MESSAGE and press SELECT.

- 2. Scroll to SETTINGS and press SELECT.
- 3. Scroll or to MSG ALERT BEEP and press SELECT.
- 4. Scroll or or to ON or OFF and press SELECT.
- 5. Press BACK to return to the previous menu level.

Using additional handsets

You can use up to five BT Stratus 1500 additional handsets with your BT Stratus 1500 base to extend your phone system without needing to install extension sockets for each new phone. Your BT Stratus 1500 handset can also be registered to up to four other bases. You can then select the base you would prefer to use.

If you have purchased a BT Stratus 1500 multiple pack any additional handsets come pre-registered to the base.

If you have purchased an additional handset separately you must register it to your BT Stratus 1500 base before it can be used.

Handset registration

Registration

At the base:

1. Press and hold m for 10 seconds. You now have 1 minute to register the handset.

At the handset:

- Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. Scroll to REGISTRATION, press SELECT.
- 3. Enter the system PIN (default setting 0000) and press OK. The handset will search for the base and then display Registering. When registration is complete you hear a long confirmation beep.

The handset is automatically assigned the next available handset number.

If registration is not successful first time, please repeat the process again in case the base registration period ran out of time.

If there are already 5 handsets registered to the base, the registration will fail. The display shows TOO MANY HANDSETS.

You must de-register another handset before you can register the new one.

If your BT Stratus 1500 handset is registered to more than one base, you can select which base to use.

If you have a handset registered to more than one base and then de-register it from one of them you will need to re-select which hase to use

Until the base is selected the handset will display REGISTER.

Immediately, after de-registering, you can press to jump to the Registration menu.

De-register a handset

- Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. Scroll to DE-REGISTER, press SELECT.
- 3. Enter the system PIN (default setting 0000) and press OK. All handsets available for de-registration are listed.
- 4. Scroll or to the handset you want to de-register and press SELECT.
- 5. Display shows DE-REGISTER? Press OK to confirm or BACK to cancel.

Internal calls

Call another handset

- 1. Press . All available handsets are displayed.
- To call the handset, press the handset number you want.If the handset is already in use, you will hear the busy tone.
- 3. Press 🕏 to hang up.

Conference call

Conference on / off

When Conference is switched On, a second handset can join a call between the first handset and an external caller by pressing \(\bigsige \). The default setting is off.

- 1. Press MENU, scroll or to ADVANCED SET and press SELECT.
- 2. CONFERENCE is displayed, press SELECT.
- 3. Scroll or to ON or OFF and press SELECT.
- 4. Press BACK to return to the previous menu level.

Join a Conference call

- When the Conference setting is switched On and a call is taking place between one handset and an external caller, press on another handset to join the call.
- 2. Press 🕆 to hang up.

Only possible when more than one handset is registered to the base.

Start a conference call

- 1. During a call with an external caller, press . Your caller is put on hold and all available handsets displayed.
- 2. Enter the handset number you want to call.
- 3. When the other handset answers press and hold to initiate a 3-way conference call.
- 4. Press to hang up. Your caller and the other handset user can continue the call.

Put a caller on hold and make an internal call

- 1. During a call with an external caller, press [10]. Your caller is put on hold and all available handsets displayed.
- 2. Enter the handset number you want to call.
- 3. Press Int to switch between your internal and external callers.
- 4. Press to hang up. Your caller and the other handset user can continue the call.

Transfer a call

- 1. During a call with an external caller, press [mt]. Your caller is put on hold and all available handsets displayed.
- 2. Enter the handset number you want to call.
- 3. When the other handset answers, you can announce the caller.
- 4. Press ? to transfer the call.

Help

Phone does not work

- Have you activated the batteries correctly? See page 8.
- Check that the mains power is correctly connected.

No dial tone

- Is the telephone cord of the base plugged into the phone socket?
- Check that the mains power is correctly connected.
- Only use the telephone cord supplied with the phone.

Cannot dial out or receive calls

- Check that the mains power is correctly connected.
- The batteries may need recharging.
- Has there been a power cut? If so, place the handset back on the base for 10 seconds and try again. If it still does not work disconnect the batteries and mains power for 10 minutes, then reconnect and try again.

You have a dial tone, but the phone will not dial out

• If you are connected to a switchboard, check whether you need to dial an access code.

Handset does not ring

- The ringer volume may be switched off, see page 43.
- Check that the mains power is correctly connected.
- Make sure the handset is registered to the base, see page 51.

No display

- The batteries may be flat, dead or incorrectly inserted.
- Recharge or replace the batteries. Caution: there is a risk of explosion if battery is replaced by an incorrect type. Dispose of batteries according to the instructions.

Ticon flashes

- Is the handset registered correctly to the base, see page 51.
- Check that the mains power is correctly connected.
- Check that the handset is within range of the base.
- The batteries are low, place the handset on the base/ charger to recharge.

icon not scrolling

- Try cleaning the charging contacts.
- Check that the mains power is correctly connected.

You hear the busy tone when you press ⊱



- Make sure the handset is in range of the base.
- Another handset registered to your BT Stratus 1500 base may be on the line.

Answering machine does not record any messages

• The memory may be full. Play and delete old messages, see page 42.

Answering machine messages have the wrong date and time

• Have you set the date and time? See page 27.

Cannot access your messages from another phone

Have you changed the remote access security PIN code?
 The remote access setting might need to be activated, see page 43.

Always keep a note of the new PIN code in a safe place.

 Has Remote access been disabled? To enable Remote access, see page 43.

No Caller Display number/name displayed

- Have you subscribed to a Caller Display service from your network provider, see page 29.
- The caller may have withheld their number.
- An exact name/number match was not found in your directory. Check that you have stored the full STD dialling code.

Cannot register a handset to a base

- You can register a total of 5 handsets to your BT Stratus 1500 base and you can register your BT Stratus 1500 handset to up to 4 bases. Check that you have not exceeded the limits.
- Check that you have entered the correct PIN number (default PIN 0000).
- Check that you are at least one metre away from other electrical equipment to avoid interference when registering.

Base unit does not ring, but the lights are on

- Have you connected the telephone line correctly?
- Is the base ringer set to off?
- You may have a faulty line or socket. Try using another socket or line. Call BT on 151 if you still experience problems.

Buzzing noise on my phone or on other electrical equipment nearby

 Sometimes your BT Stratus 1500 can interfere with other electrical equipment if it is placed too close. It is recommended that you place your BT Stratus 1500 at least one metre away from electrical appliances or metal obstructions to avoid any risk of interference.

Customer Helpline

If you are still experiencing difficulties please call the BT Stratus 1500 Helpline on 0808 100 6556*.

57

Possible problems with text messaging

Text messages cannot be sent and screen displays Message failed

- The base station power supply or telephone line cord might not be properly connected.
- Check that the base station power supply is plugged into the mains socket and switched on and that the telephone is plugged into the telephone wall socket.
- There might be a fault on the line. Check your telephone line is working properly.
- You might have deleted the server number in error. See page 49 for instructions on how to enter the number.

Cannot send text

• Check service centre number is correct including 1470P prefix (this is for BT lines. If you have another network provider please check the prefix number with them). In order to send and receive text messages you must not withhold your number. If you normally withhold your number the 1470 prefix presents your number for you.

Cannot receive text

- You will not be able to receive text messages until you have first sent a message. The first message sent registers you with the text service.
- More than one text messaging product is plugged into the line. Remove other products.
- Check service centre number is correct.

- Ensure you have subscribed to a Caller Display service and that it is active. You can check this by noting if your phone displays your caller's number when you receive an incoming call.
- If you are using personal user areas please ensure you have given people your user area number and that they are entering it to the end of your telephone number when sending you a text message.

Text has previously been sent and received but you are now only receiving voice spoken text messages, from number 0845 6021111.

This may be due to your line being de-registered at the text service centre. All you need to do is text RESET and send it to 00000. You will receive a confirmation message back. This assumes that your Caller Display service is active and working on your line. Messages sent to 00000 are free

Further help and advice for text queries on BT lines:

- BT Residential customers call 151, choose option 2, when prompted by the Fault Management Service select option 2, enter your phone number on the handset and wait to speak to a customer adviser.
- BT Business Customers call 152, choose option 2, when prompted by the Fault Management Service select option 2, enter your phone number on the handset and wait to speak to a customer adviser.
- For other telephone service providers please contact their customer services

General sales enquiries

- BT Residential lines call 150. BT Business lines call 152.
- For non BT line customers, call 0800 800 150 (residential) or 0800 800 152 (business).

Billing enquiries

 Refer to the telephone number shown on your telephone bill.

Other functions and services available from the text messaging service

By sending the following commands to the BT text self administration facility you can control functions and capabilities in your text phone and the way messages are handled.

- 1. Press SMS. Write Text msg is displayed. Press SELECT.
- 2. Use the keypad to type in the following commands (depending upon what you want to do):
 - * # Opt out from receiving voice text messages.
 - # a # a Turns off the opt out option.
 - #a 2 #a Turns on permanent voice text message delivery to your phone. All incoming text is delivered as voice text.
 - # Turns off permanent voice text message delivery.

When finished, press OK.

- 3. Enter the number 00000 then press SELECT.
- 4. Press OK .SEND is highlighted.
- 5. Press OK. Display shows SENDING MESSAGE.

If you are sending a message from a fixed line phone to another fixed line phone

*** 3 *** Forces a message you send to be delivered as a voice text even though the recipient may have a text enabled phone and usually receives written text.

This command is inserted at the start of the message and applies only to that message, e.g. *** 3 *** 'Hello I will be home late'.

You keep hearing an error beep

 You have pressed the wrong button in a sequence. Check the prompts in the display or refer to instructions in this user guide.

General information

IMPORTANT

This equipment is not designed for making emergency telephone call when the power fails. Alternative arrangements should be made for access to emergency services.

This product is intended for connection to analogue public switched telephone networks and private switchboards in the United Kingdom.

Replacing the handset battery

After a time, you may find that the handset batteries are running out of charge more quickly. This is a standard sign of wear and the battery will need replacing.

- 1. Open the battery compartment cover.
- 2 Take out the old batteries and replace with new NiMH batteries.
- Push the battery compartment cover back on until it clicks into place.

WARNING

Do not immerse batteries in water or throw them into a fire, or dispose of them with ordinary domestic refuse. BT accepts no responsibility for damage caused to your BT Stratus 1500 by using any other types of batteries.

Safety information

Only use the power supply suitable for the BT Stratus 1500 range.
 Using an unauthorised power supply will invalidate your guarantee and may damage the telephone. The item code for the base mains power supply is 039956. If you have purchased a multiple pack the item code for the charger mains power supply is 039955.

- Use only the approved rechargeable batteries supplied. Spare rechargeable batteries are available from the BT Stratus 1500 Helpline on 0808 100 6556*.
- Do not open the handset (except to replace the handset batteries) or the base. This could expose you to high voltages or other risks.
 Contact the Helpline on 0808 100 6556* for all repairs.
- If the keylock is switched on, it is NOT possible to make calls, except to the emergency numbers (999/112).
- Radio signal transmitted between the handset and base may cause interference to hearing aids.
- It is recommended that advice from a qualified expert be sought before using this product in the vicinity of emergency/intensive care medical equipment.
- It is recommended that if you have a pacemaker fitted you check with a medical expert before using this product.
- Your product may interfere with other electrical equipment, e.g. TV and radio sets, clock/alarms and computers if placed too close.
 - It is recommended that you place your product at least one metre away from such appliances to minimise any risk of interference.
- Never dispose of batteries in a fire. There is a serious risk of explosion and/or the release of highly toxic chemicals.

Cleaning

 Clean the handset and base (or charger) with a damp (not wet) cloth, or an anti-static wipe.

Never use household polish as this will damage the product. Never use a dry cloth as this may cause a static shock.

Environmental

- Do not expose to direct sunlight.
- The handset may become warm when the batteries are being charged or during prolonged periods of use. This is normal. However, we recommend that to avoid damage you do not place the product on antique/veneered wood.
- Do not stand your product on carpets or other surfaces which generate fibres, or place it in locations preventing the free flow of air over its surfaces.
- Do not submerge any part of your product in water and do not use it in damp or humid conditions, such as bathrooms.
- Do not expose your product to fire, explosive or other hazardous conditions.
- There is a slight chance your phone could be damaged by an electrical storm. We recommend that you unplug the power and telephone line cord during an electrical storm.

Product disposal instructions



The symbol shown here and on the product means that the product is classed as Electrical or Electronic Equipment and should not be disposed with other household or commercial waste at the end of its working life.

The Waste of Electrical and Electronic Equipment (WEEE) Directive (2002/96/EC) has been put in place to recycle products using best available recovery and recycling techniques to minimize the impact on the environment, treat any hazardous substances and avoid the increasing landfill.

Product disposal instructions for residential users

When you have no further use for it, please remove any batteries and dispose of them and the product as per your local authority's recycling processes. For more information please contact your local authority or the retailer where the product was purchased.

Product disposal instructions for business users Business users should contact their suppliers and check the terms and conditions of the purchase contract and ensure that this product is not mixed with other commercial waste for disposal.

Guarantee

Your BT Stratus 1500 is guaranteed for a period of 12 months from the date of purchase. Subject to the terms listed below, the guarantee will provide for the repair of, or at BT's or its agent's discretion, the option to replace the BT Stratus 1500 or any component thereof, (other than batteries), which is identified as faulty or below standard, or as a result of inferior workmanship or materials. Products over 28 days old from the date of purchase may be replaced with a refurbished or repaired product.

The conditions of this quarantee are:

- The guarantee shall only apply to defects that occur within the 12 month guarantee period.
- Proof of purchase is provided.
- The equipment is returned to BT or its agent as instructed.
- This guarantee does not cover any faults or defects caused by accidents, misuse, fair wear and tear, neglect, tampering with the equipment, or any attempt at adjustment or repair other than through approved agents.
- This guarantee does not affect your statutory rights.

Within the 12 month guarantee period:

Prior to returning your product, please read the Help section beginning on page 55 or contact the BT Stratus 1500 Helpline on 0808 100 6556* for assistance. In the unlikely event of a defect occurring, please follow the Helpline's instructions for replacement or repair.

Outside of the 12 month guarantee period:

If your product needs repair after the guarantee period has ended, the repair must meet the approval requirements for connection to the telephone network.

We recommend that you contact BT's approved repair agent Helpdesk Solutions on 0870 240 5029 or a local qualified repairer.

Returning your phone

If the Helpline is unable to remedy your problem they will ask you to return the product. Where possible, pack the product in its original packaging. Please remember to include all parts, including the line cords, power supply units and the original batteries. (Please note that we cannot take responsibility for goods damaged in transit). Please obtain and keep proof of posting from the Post Office.

For guarantee purposes proof of purchase is required so please keep your receipt.

Technical information

How many telephones can I have?

All items of telephone equipment have a Ringer Equivalence Number (REN), which is used to calculate the number of items which may be connected to any one telephone line. Your BT Stratus 1500 has a REN of 1. A total REN of 4 is allowed. If the total REN of 4 is exceeded, the telephones may not ring. With different telephone types there is no guarantee of ringing, even when the REN is less than 4.

Any additional handsets and chargers that you register have a RFN of 0.

RATTE

This product is intended for use within the UK for connection to the public telephone network and compatible switchboards.

This equipment complies with the essential requirements for the Radio Equipment and Telecommunications Terminal Equipment Directive 1999/5/EC.

Declaration of Conformance

Hereby, CCT declares that this BT Stratus 1500 is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

If you would like a copy of the Declaration of Conformance, call the Helpline on 0808 100 6556*.

Connecting to a switchboard

This product is intended for use within the UK for connection to the public telephone network and compatible switchboards, which support tone and pulse dialling and timed break recall. If in doubt please consult your service provider.

Inserting a pause

With some switchboards, after dialling the access code you may have to wait for a moment while the switchboard picks up an outside line so you will need to enter a pause in the dialing sequence.

Press and hold # to insert a pause (P) before entering the telephone number.

You may also need to enter a pause when storing international numbers or charge card numbers.

Recall

You may need to use the recall function if you are connected to a switchboard/PBX (Private Branch Exchange), contact your PBX supplier for further information. The recall function is set to timed break recall and is also used for BT Calling Features.

Offices worldwide

The services described in this publication are subject to availability and may be modified from time to time. Services and equipment are provided subject to British Telecommunications plc's respective standard conditions of contract. Nothing in this publication forms any part of any contract.

© British Telecommunications plc 2008. Registered Office: 81 Newgate Street, London EC1A 7AJ. Registered in England No. 1800000. Printed in China

Designed and produced by The Art & Design Partnership Ltd.

BT Stratus 1500 (07/08) Issue 1



